


VETi®

A Brand of **MAJOR TECH**



COMPLETE RANGE OF USB Sockets & Modules

Integrated Charging
for Modern Spaces



POLA USB, Double V-Slim Single USB Sockets

Features

- Integrated USB Charging
- Output Power: 10W
- Input Voltage: 220-240V AC
- USB Port Output: Type A: 5V, 2.1A, 2 x Type A: 5V, 1.05A
- Dual V-Slim Sockets, 16A RSA Socket
- Flat Modern Design
- Multiple Colour Options



AURA USB-A & USB-C Socket

Features

- 18W fast charging
- USB A + USB C Port Output:
 - Type A & C: 5V, 3A Max
 - Type-A: 5V, 3A/9V, 2A/12V, 1.5V
 - Type C: 5V, 3A/9V, 2.22A/12V, 1.67A
- Overcharge Protection Technology
- V-Slim Socket, 16A RSA Socket
- Flat modern design
- Multiple colour options



AURA RSA, V-Slim, Shuko, USB-A & USB-C Socket

Features

- 20W fast charging
- USB A + USB C Port Output:
 - Type A & C: 5V, 3A Max
 - Type-A: 5V, 3A/9V, 2A/12V, 1.5V
 - Type C: 5V, 3A/9V, 2.22A/12V, 1.67A
- V-Slim, RSA & Schuko Outlets
- Overcharge Protection Technology
- Flat modern design
- Multiple colour options

*Note: Not for use in SA



AURA RSA, V-Slim, Schuko, USB-A & USB-C Omni Cluster

Features

- USB A + USB C Port Output:
 - Type A & C: 5V, 3A Max
 - Type-A: 5V, 3A/9V, 2A/12V, 1.5V
 - Type C: 5V, 3A/9V, 2.22A/12V, 1.67A
- RSA, V-Slim and Schuko socket combination
- Modern architectural styling
- Ideal for desks and workspaces
- Multiple colour options



AURA RSA, V-Slim, USB-A & USB-C Omni Cluster

Features

- USB A + USB C Port Output:
 - Type A & C: 5V, 3A Max
 - Type-A: 5V, 3A/9V, 2A/12V, 1.5V
 - Type C: 5V, 3A/9V, 2.22A/12V, 1.67A
- RSA and V-Slim socket combination
- Modern architectural styling
- Ideal for desks and workspaces
- Multiple colour options





3VM209WT



3VM209TM



3VM209GR



3VM209BZ



AURA USB-A Type Charging Module

Features

- Output Power: 10W
- Input Voltage: 220-240V AC
- No Load consumption: 0.1W Max
- USB Port Output: Type A: 5V, 2.1A



3VM212WT



3VM212TM



3VM212GR



3VM212BZ



AURA USB-A & USB-C Type Charging Module

Features

- Output Power: 18W
- Input Voltage: 220 – 240V AC
- USB Port Output:
 - Type A & C: 5V, 2.1A Max
 - Type-A: 5V, 3A/9V, 1.8A
 - Type-C: 5V, 3A/9V, 2A
- No Load Consumption: 0.1W Max



3VM215ACWT



3VM215ACTM



3VM215ACGR



3VM215ACBZ



AURA USB-A & USB-C Type Charging Module

Features

- Output Power: 20W
- Input Voltage: 100 – 240V AC
- USB Port Output:
 - Type A & C: 5V, 3A Max
 - Type-A: 5V, 3A/9V, 2A/12V, 1.5V
 - Type C: 5V, 3A/9V, 2.22A/12V, 1.67A
- No Load Consumption: 0.1W Max
- GAN 3.0 Technology



3VM215CCWT



3VM215CCTM



3VM215CCGR



3VM215CCBZ



AURA USB-C & USB-C Type Charging Module

Features

- Output Power: 20W
- Input Voltage: 100 – 240V AC
- USB Port Output:
 - 2 x Type-C: 5V, 3A Max
 - Type C: 5V, 3A/9V, 2.22A/12V, 1.67A
- No Load Consumption: 0.1W Max
- GAN 3.0 Technology



Complete USB-A Wall Socket

Features

- Integrated USB charging
- Output Power: 10W
- Input Voltage: 220-240V AC
- USB Port Output: Type A:
- 5V, 2.1A, 2 x Type A: 5V, 1.05A
- 16A RSA Socket, Dual
- V-Slim sockets
- Rounded modern design
- Locator glow feature
- Multiple colour options

White Trim

	VG27WTC		VG27WCR
	VG27WCN		VG27WBZ
	VG27WSV		

Black Trim

	VG27BSV		VG27BGM
	VG27BBZ		



Complete USB-A & USB-C Socket

Features

- 18W fast charging
- USB A + USB C Port Output:
 - Type A & C: 5V, 3A Max
 - Type-A: 5V, 3A/9V, 2A/12V, 1.5V
 - Type C: 5V, 3A/9V, 2.22A/12V, 1.67A
- Overcharge Protection Technology
- V-Slim Socket, 16A RSA Socket
- Rounded Modern Design
- Locator Glow Feature
- Multiple Colour Options

White Trim

	VG29WTC		VG29WCR
	VG29WCN		VG29WBZ
	VG29WSV		

Black Trim

	VG29BSV		VG29BGM
	VG29BBZ		



White Trim



OMNI1WWT



OMNI1WSV



OMNI1WCN

Black Trim



OMNI1BGM



OMNI1BBZ

USB, V-Slim, RSA & Schuko Omni Cluster

Features

- Output Power: 10W
- Input Voltage: 220-240V AC
- USB Port Output: Type A: 5V, 2.1A, 2 x Type A: 5V, 1.05A
- RSA, V-Slim and Schuko socket combination
- Rounded Finish
- Ideal for desks and counters
- Available in 5 colour options



White Trim



OMNI3WWT



OMNI3WSV



OMNI3WCN

Black Trim



OMNI3BGM



OMNI3BBZ

USB, V-Slim, RSA & Schuko Omni Cluster

Features

- Output Power: 10W
- Input Voltage: 220-240V AC
- USB Port Output: Type A: 5V, 2.1A, 2 x Type A: 5V, 1.05A
- RSA, V-Slim socket combination
- Rounded Finish
- Ideal for desks and counters
- Available in 5 colour options



V209WT



V209BK

USB-A Type Charging Module

Features

- Output Power: 10W
- Input Voltage: 220-240V AC
- No Load consumption: 0.1W Max
- USB Port Output: Type A: 5V, 2.1A



V212WT



V212BK

USB-A & USB-C Type Charging Module

Features

- Output Power: 18W
- Input Voltage: 220 – 240V AC
- USB Port Output:
 - Type A & C: 5V, 2.1A Max
 - Type-A: 5V, 3A/9V, 1.8A
 - Type-C: 5V, 3A/9V, 2A
- No Load Consumption: 0.1W Max



2VC227

Complete USB Socket

Features

- Integrated USB charging
- Output Power: 10W
- Input Voltage: 220-240V AC
- USB Port Output: Type A: 5V, 2.1A, 2 x Type A: 5V, 1.05A
- Sleek monoblock design
- Slim modern profile
- 16A RSA socket



2VW227

Complete USB Socket

Features

- Integrated USB charging
- Output Power: 10W
- Input Voltage: 220-240V AC
- USB Port Output: Type A: 5V, 2.1A, 2 x Type A: 5V, 1.05A
- Sleek monoblock design
- Slim modern profile
- 16A RSA socket



VETI STUDIO APP

Step 1: Download the Veti Studio App



Step 2: Click demo tab and be guided through the process



Step 3: Select Cover, Choose Function & Drag Module




Step 3: In Finishes, Select a Colour Option




Step 5: Select AR, Allow Camera Access & View



Step 6: Save List and View Bill of Quantities



Step 7: Export your List to Finalise Purchase



To purchase your list or needing to send an enquiry please email
sales@veti.co.za

VETI®

Don't be ordinary ... *Switch on Style!*