

# VETI<sup>®</sup>3

Don't be ordinary ... *Switch on Style!*



## PERFECTLY FLAT IN THE OFF POSITION

- Ultra Slim
- Colours to Help Switch on Style!
- Robust & Durable Monoblock Design

☎ 086 162 5678 ✉ [sales@veti.co.za](mailto:sales@veti.co.za) 🌐 [www.veti.co.za](http://www.veti.co.za)





# Colours to Help Switch on Style!

VETI 3 offers a wide range of matt colour finishes, including White, Titanium, Graphite and Bronze, and it has simplified the installation process allowing for easy customisation that can be accomplished quickly and safely. Covers and switches can be swapped out and changed to meet the style and ambiance of any room rapidly, with only a screwdriver in hand. As standard options, Major Tech supplies five colour combinations being a bronze cover with titanium switch, a titanium cover with graphite switch, a graphite cover with titanium switch, a white cover with white switch and a graphite cover with graphite switch.

## TITANIUM



## GRAPHITE



## BRONZE




## WHITE



# Perfectly Flat in the Off Position

The ultra slim design of the VETI 3 range has a modern and stylish look, sporting large switch covers for easy switching. The switches have a toggle action with the unique feature of being flat in the Off position, and slightly ajar when in the On position.







## The Perfect Glow to Finish a Room

Each switch includes a luminous fluorescent strip which glows when charged by sunlight or the lighting in the room. These strips do not consume electricity, and the glow will therefore only be visible in areas where they are exposed to sufficient light that is able to charge the fluorescent strip.







## Robust & Durable Monoblock Design

The VETI 3 series is a new monoblock design with a range of switches, sockets, and communication outlets compatible with both standard South African 100 x 100mm and 100 x 50mm wall boxes. The frame has been designed and manufactured with a strong and durable metal, making it nearly impossible to bend and easier to install.



**VETI 3**





One Lever Switch



Two Lever Switch



Three Lever Switch



Four Lever Switch



3V145TWT



3VT62



3VT61

## TITANIUM

### Switches

PART NUMBER	DESCRIPTION
3V111GT	One Lever One-Way Switch
3V121GT	One Lever Two-Way Switch
3V101GT	One Lever Bell Press Switch
3V112GT	Two Lever One-Way Switch
3V122GT	Two Lever Two-Way Switch
3V100GT	Two Lever Bell Press Switch
3V102GT	Two Lever 1 x Bell Press & 1 x Two-Way Switch
3V113GT	Three Lever One-Way Switch
3V123GT	Three Lever Two-Way Switch
3V1000GT	Three Lever Bell Press Switch
3V1002GT	Three Lever 2 x Bell Press & 1 x Two-Way Switch
3V1022GT	Three Lever 1 x Bell Press & 2 x Two-Way Switch
3V124GT	Four Lever Two-Way Switch

Wall box Size 100x 50mm

\*Graphite Switch / Titanium Cover

### Isolator Switch

PART NUMBER	DESCRIPTION
3V145TWT	45A Triple Pole Isolator

Wall box Size 100 x 100mm

\*White Switch / Titanium Cover

### Blank Cover Plates

PART NUMBER	DESCRIPTION
3VT61	50mm x100mm Blanking Plate
3VT62	100mm x100mm Blanking Plate

Wall box Size 100 x 50mm

Wall box Size 100 x 100mm

\* Titanium Cover



# TITANIUM

## Electrical Sockets

PART NUMBER	DESCRIPTION
3V20GT	Socket Outlet
3V21GT	Socket Outlet

Wall box Size 100 x 50mm

Wall box Size 100 x 100mm

\*Graphite Switch / Titanium Cover

PART NUMBER	DESCRIPTION
3V22GT	Socket Outlet
3V24T	Socket Outlet

Wall box Size 100 x 100mm

\*As per SANS10142-1 of 2020 no AC Socket Outlets are required to be switched

\*Complies with latest version of SANS10142-1

\*Graphite Switch / Titanium Cover

PART NUMBER	DESCRIPTION
3V25GT	Socket Outlet
3V27GT	Socket Outlet

Wall box Size 100 x 100mm

\*Complies with latest version of SANS10142-1

\*Graphite Switch / Titanium Cover

## Communication Sockets

PART NUMBER	DESCRIPTION
3V132T	Dual Satellite Socket Outlet
3V135T	Dual Data Socket Outlet (RJ45 - Cat 6)

Wall box Size 100 x 50mm

\*Titanium Cover

VETI<sup>3</sup>



3V21GT



3V20GT



3V22GT



3V24T



3V25GT



3V27GT



3V132T




3V135T






One Lever Switch



Two Lever Switch




Three Lever Switch



Four Lever Switch



3V145TWG



3VG62



3VG61

## GRAPHITE

### Switches

PART NUMBER	DESCRIPTION
3V111TG	One Lever One-Way Switch
3V121TG	One Lever Two-Way Switch
3V101TG	One Lever Bell Press Switch
3V112TG	Two Lever One-Way Switch
3V122TG	Two Lever Two-Way Switch
3V100TG	Two Lever Bell Press Switch
3V102TG	Two Lever 1 x Bell Press & 1 x Two-Way Switch
3V113TG	Three Lever One-Way Switch
3V123TG	Three Lever Two-Way Switch
3V1000TG	Three Lever Bell Press Switch
3V1002TG	Three Lever 2 x Bell Press & 1 x Two-Way Switch
3V1022TG	Three Lever 1 x Bell Press & 2 x Two-Way Switch
3V124TG	Four Lever Two-Way Switch

Wall box Size 100 x 50mm

\*Titanium Switch / Graphite Cover

### Isolator Switch

PART NUMBER	DESCRIPTION
3V145TWG	45A Triple Pole Isolator

Wall box Size 100x 100mm

\*White Switch / Graphite Cover

### Blank Cover Plates

PART NUMBER	DESCRIPTION
3VG61	50mm x 100mm Blanking Plate
3VG62	100mm x 100mm Blanking Plate

Wall box Size 100 x 50mm

Wall box Size 100 x 100mm

\*Graphite Cover



Electrical Sockets

PART NUMBER	DESCRIPTION
3V20TG	Socket Outlet
3V21TG	Socket Outlet

Wall box Size 100 x 50mm

Wall box Size 100 x 100mm

\*Titanium Switch / Graphite Cover

PART NUMBER	DESCRIPTION
3V22TG	Socket Outlet
3V24G	Socket Outlet

\*As per SANS10142-1 of 2020 no AC Socket Outlets are required to be switched

\*Complies with latest version of SANS10142-1

Wall box Size 100 x 100mm

\*Titanium Switch / Graphite Cover

PART NUMBER	DESCRIPTION
3V25TG	Socket Outlet
3V27TG	Socket Outlet

\*Complies with latest version of SANS10142-1

Wall box Size 100 x 100mm

\*Titanium Switch / Graphite Cover

Communication Sockets

PART NUMBER	DESCRIPTION
3V132G	Dual Satellite Socket Outlet
3V135G	Dual Data Socket Outlet (RJ45 - Cat 6)

Wall box Size 100 x 50mm

\*Graphite Cover



3V21TG



3V20TG



3V22TG



3V24G




3V25TG



3V27TG



3V132G



3V135G

## Switches



One Lever Switch

Two Lever Switch



Three Lever Switch

Four Lever Switch



3V145TWG



3VG62

3VG61

PART NUMBER	DESCRIPTION
3V111GG	One Lever One-Way Switch
3V121GG	One Lever Two-Way Switch
3V101GG	One Lever Bell Press Switch
3V112GG	Two Lever One-Way Switch
3V122GG	Two Lever Two-Way Switch
3V100GG	Two Lever Bell Press Switch
3V102GG	Two Lever 1 x Bell Press & 1 x Two-Way Switch
3V113GG	Three Lever One-Way Switch
3V123GG	Three Lever Two-Way Switch
3V1000GG	Three Lever Bell Press Switch
3V1002GG	Three Lever 2 x Bell Press & 1 x Two-Way Switch
3V1022GG	Three Lever 1 x Bell Press & 2 x Two-Way Switch
3V124GG	Four Lever Two-Way Switch

Wall box Size 100 x 50mm

\*Graphite Switch / Graphite Cover

## Isolator Switch

PART NUMBER	DESCRIPTION
3V145TWG	45A Triple Pole Isolator

Wall box Size 100 x 100mm

\*White Switch / Graphite Cover

## Blank Cover Plate

PART NUMBER	DESCRIPTION
3VG61	50mmx100mm Blanking Plate
3VG62	100mmx100mm Blanking Plate

Wall box Size 100 x 50mm

Wall box Size 100 x 100mm

\* Graphite Cover



# GRAPHITE

## Electrical Sockets

PART NUMBER	DESCRIPTION
3V20GG	Socket Outlet
3V21GG	Socket Outlet

Wall box Size 100 x 50mm

Wall box Size 100 x 100mm

\*Graphite Switch / Graphite Cover

PART NUMBER	DESCRIPTION
3V22GG	Socket Outlet
3V24G	Socket Outlet

\*As per SANS10142-1 of **2020** no AC Socket Outlets are required to be switched

\*Complies with latest version of SANS10142-1

Wall box Size 100 x 100mm

\*Graphite Switch / Graphite Cover

PART NUMBER	DESCRIPTION
3V25GG	Socket Outlet
3V27GG	Socket Outlet

\*Complies with latest version of SANS10142-1

Wall box Size 100 x 100mm

\*Graphite Switch / Graphite Cover

## Communication Sockets

PART NUMBER	DESCRIPTION
3V132G	Dual Satellite Socket Outlet
3V135G	Dual Data Socket Outlet (RJ45 - Cat 6)

Wall box Size 100 x 50mm

\* Graphite Cover

VETI<sup>3</sup>



3V21GG



3V20GG



3V22GG



3V24G




3V25GG



3V27GG



3V132G



3V135G

## Switches



One Lever Switch

Two Lever Switch



Three Lever Switch

Four Lever Switch



3V145TWB



3VB62

3VB61

PART NUMBER	DESCRIPTION
3V111TB	One Lever One-Way Switch
3V121TB	One Lever Two-Way Switch
3V101TB	One Lever Bell Press Switch
3V112TB	Two Lever One-Way Switch
3V122TB	Two Lever Two-Way Switch
3V100TB	Two Lever Bell Press Switch
3V102TB	Two Lever 1 x Bell Press & 1 x Two-Way Switch
3V113TB	Three Lever One-Way Switch
3V123TB	Three Lever Two-Way Switch
3V1000TB	Three Lever Bell Press Switch
3V1002TB	Three Lever 2 x Bell Press & 1 x Two-Way Switch
3V1022TB	Three Lever 1 x Bell Press & 2 x Two-Way Switch
3V124TB	Four Lever Two-Way Switch

Wall box Size 100 x 50mm

\*Titanium Switch / Bronze Cover

## Isolator Switch

PART NUMBER	DESCRIPTION
3V145TWB	45A Triple Pole Isolator

Wall box Size 100 x 100mm

\*White Switch / Bronze Cover

## Blank Cover Plates

PART NUMBER	DESCRIPTION
3VB61	50mmx100mm Blanking Plate
3VB62	100mmx100mm Blanking Plate

Wall box Size 100 x 50mm

Wall box Size 100 x 100mm

\*Bronze Cover



# BRONZE

## Electrical Sockets

PART NUMBER	DESCRIPTION
3V20TB	Socket Outlet
3V21TB	Socket Outlet

Wall box Size 100 x 50mm

Wall box Size 100 x 100mm

\*Titanium Switch / Bronze Cover

PART NUMBER	DESCRIPTION
3V22TB	Socket Outlet
3V24B	Socket Outlet

\*As per SANS10142-1 of **2020** no AC Socket Outlets are required to be switched

\*Complies with latest version of SANS10142-1

Wall box Size 100 x 100mm

\*Titanium Switch / Bronze Cover

PART NUMBER	DESCRIPTION
3V25TB	Socket Outlet
3V27TB	Socket Outlet

\*Complies with latest version of SANS10142-1

Wall box Size 100 x 100mm

\*Titanium Switch / Bronze Cover


## Communication Sockets

PART NUMBER	DESCRIPTION
3V132B	Dual Satellite Socket Outlet
3V135B	Dual Data Socket Outlet (RJ45 - Cat 6)

Wall box Size 100 x 50mm

\*Bronze Cover


VETI<sup>3</sup>




3V21TB



3V20TB



3V22TB



3V24B




3V25TB



3V27TB




3V132B




3V135B



One Lever Switch




Two Lever Switch



Three Lever Switch



Four Lever Switch



3VW145T



3VW62



3VW61

## Switches

PART NUMBER	DESCRIPTION
3VW111	One Lever One-Way Switch
3VW121	One Lever Two-Way Switch
3VW101	One Lever Bell Press Switch
3VW112	Two Lever One-Way Switch
3VW122	Two Lever Two-Way Switch
3VW100	Two Lever Bell Press Switch
3VW102	Two Lever 1 x Bell Press & 1 x Two-Way Switch
3VW113	Three Lever One-Way Switch
3VW123	Three Lever Two-Way Switch
3VW1000	Three Lever Bell Press Switch
3VW1002	Three Lever 2 x Bell Press & 1 x Two-Way Switch
3VW1022	Three Lever 1 x Bell Press & 2 x Two-Way Switch
3VW124	Four Lever Two-Way Switch

Wall box Size 100 x 50mm

\*White Switch / White Cover

## Isolator Switch

PART NUMBER	DESCRIPTION
3VW145T	45A Triple Pole Isolator

Wall box Size 100 x 100mm

\*White Switch / White Cover

## Blank Cover Plates

PART NUMBER	DESCRIPTION
3VW61	50mmx100mm Blanking Plate
3VW62	100mmx100mm Blanking Plate

Wall box Size 100 x 50mm

Wall box Size 100 x 100mm

\*White Cover



# WHITE

## Electrical Sockets

PART NUMBER	DESCRIPTION
3VW20	Socket Outlet
3VW21	Socket Outlet

Wall box Size 100 x 50mm

Wall box Size 100 x 100mm

\*White Switch / White Cover

PART NUMBER	DESCRIPTION
3VW22	Socket Outlet
3VW24	Socket Outlet

\*As per SANS10142-1 of 2020 no AC Socket Outlets are required to be switched

\*Complies with latest version of SANS10142-1

Wall box Size 100 x 100mm

\*White Switch / White Cover

PART NUMBER	DESCRIPTION
3VW25	Socket Outlet
3VW27	Socket Outlet

\*Complies with latest version of SANS10142-1

Wall box Size 100 x 100mm

\*White Switch / White Cover


## Communication Sockets

PART NUMBER	DESCRIPTION
3VW132	Dual Satellite Socket Outlet
3VW135	Dual Data Socket Outlet (RJ45 - Cat 6)

Wall box Size 100 x 50mm

\*White Cover


VETI<sup>3</sup>



3VW21



3VW20



3VW22



3VW24



3VW25



3VW27



3VW132




3VW135

## Switch Module



PART NUMBER	DESCRIPTION
3V111	One-Way Switch
3V121	Two-Way Switch
3V101	Bell Press Switch



PART NUMBER	DESCRIPTION
3V112	One-Way Switch
3V122	Two-Way Switch
3V100	Bell Press Switch
3V102	1 x Bell Press & 1 x Two-Way Switch



PART NUMBER	DESCRIPTION
3V113	One-Way Switch
3V123	Two-Way Switch
3V1000	Bell Press Switch
3V1002	2 x Bell Press & 1 x Two-Way Switch
3V1022	1 x Bell Press & 2 x Two-Way Switch

## Cover Plates



3VP11GT 3VP11TB 3VP11TG 3VP11WW

PART NUMBER	DESCRIPTION
3VP11GT	Graphite Switch / Titanium Cover
3VP11TG	Titanium Switch / Graphite Cover
3VP11TB	Titanium Switch / Bronze Cover
3VP11WW	White Switch / White Cover



3VP12GT 3VP12TB 3VP12TG 3VP12WW

PART NUMBER	DESCRIPTION
3VP12GT	Graphite Switch / Titanium Cover
3VP12TG	Titanium Switch / Graphite Cover
3VP12TB	Titanium Switch / Bronze Cover
3VP12WW	White Switch / White Cover



3VP13GT 3VP13TB 3VP13TG 3VP13WW

PART NUMBER	DESCRIPTION
3VP13GT	Graphite Switch / Titanium Cover
3VP13TG	Titanium Switch / Graphite Cover
3VP13TB	Titanium Switch / Bronze Cover
3VP13WW	White Switch / White Cover



# CUSTOMISE Switch Module



PART NUMBER	DESCRIPTION
3V124	Two-Way Switch

## Cover Plates



PART NUMBER	DESCRIPTION
3VP14GT	Graphite Switch / Titanium Cover
3VP14TG	Titanium Switch / Graphite Cover
3VP14TB	Titanium Switch / Bronze Cover
3VP14WW	White Switch / White Cover

# Isolator Module



PART NUMBER	DESCRIPTION
3V145T	45A Triple Pole Isolator

## Cover Plates




PART NUMBER	DESCRIPTION
3VP29T	Titanium Cover
3VP29G	Graphite Cover
3VP29B	Bronze Cover
3VP29W	White Cover

# Satellite Module



PART NUMBER	DESCRIPTION
3V132	Dual Satellite Socket Outlet

## Cover Plates



PART NUMBER	DESCRIPTION
3VP132T	Titanium Cover
3VP132G	Graphite Cover
3VP132B	Bronze Cover
3VP132W	White Cover



VETI<sup>3</sup>

Data Module



3V135

PART NUMBER	DESCRIPTION
3V135	Dual Data Socket Outlet (RJ45 - Cat 6)

Socket Modules



3V20

PART NUMBER	DESCRIPTION
3V20	Single 16A RSA Socket Outlet




3V21

PART NUMBER	DESCRIPTION
3V21	Single 16A RSA Socket Outlet

CUSTOMISE

Cover Plates



3VP135T      3VP135B      3VP135G      3VP135W

PART NUMBER	DESCRIPTION
3VP135T	Titanium Cover
3VP135G	Graphite Cover
3VP135B	Bronze Cover
3VP135W	White Cover

Cover Plates



3VP20GT      3VP20TB      3VP20TG      3VP20WW

PART NUMBER	DESCRIPTION
3VP20GT	Graphite Switch / Titanium Cover
3VP20TG	Titanium Switch / Graphite Cover
3VP20TB	Titanium Switch / Bronze Cover
3VP20WW	White Switch / White Cover



3VP21GT      3VP21TB      3VP21TG      3VP21WW

PART NUMBER	DESCRIPTION
3VP21GT	Graphite Switch / Titanium Cover
3VP21TG	Titanium Switch / Graphite Cover
3VP21TB	Titanium Switch / Bronze Cover
3VP21WW	White Switch / White Cover



## Socket Modules



3V22

PART NUMBER	DESCRIPTION
3V22	Double 16A RSA Socket Outlet



3V24

PART NUMBER	DESCRIPTION
3V24	Double RSA, Double V-Slim



3V25


PART NUMBER	DESCRIPTION
3V25	Switched Socket with Single RSA & 3 x RSA V-Slim



3V27

PART NUMBER	DESCRIPTION
3V27	Switched Socket with, Single RSA, Dual USB & 2 x RSA V-Slim

## Cover Plates



3VP22GT

3VP22TB

3VP22TG

3VP21WW

PART NUMBER

DESCRIPTION

3VP22GT	Graphite Switch / Titanium Cover
3VP22TG	Titanium Switch / Graphite Cover
3VP22TB	Titanium Switch / Bronze Cover
3VP22WW	White Switch / White Cover



3VP24T

3VP24B

3VP24G

3VP24W

PART NUMBER

DESCRIPTION

3VP24T	Graphite Switch / Titanium Cover
3VP24G	Titanium Switch / Graphite Cover
3VP24B	Titanium Switch / Bronze Cover
3VP24W	White Switch / White Cover



3VP25GT

3VP25TB


3VP25TG

3VP25WW

PART NUMBER

DESCRIPTION

3VP25GT	Graphite Switch / Titanium Cover
3VP25TG	Titanium Switch / Graphite Cover
3VP25TB	Titanium Switch / Bronze Cover
3VP25WW	White Switch / White Cover



3VP27GT

3VP27TB

3VP27TG

3VP27WW

PART NUMBER


DESCRIPTION

3VP27GT	Graphite Switch / Titanium Cover
3VP27TG	Titanium Switch / Graphite Cover
3VP27TB	Titanium Switch / Bronze Cover
3VP27WW	White Switch / White Cover




## One-Way Switches

One way switches have the ability of switching lights on and off from one location. One way switches are convenient in all locations unless multiple position switching is required.




## Two-Way Switches

Two-way switches have the ability of controlling the same lights from two separate locations. Two-way switches are convenient for use in locations such as stairways, a long corridor, or a very large room to allow lights to be turned ON or OFF in two places.



## Bell Press Switches / Momentary Switches


A bell press switch will only be active when the switch is pressed and it will remain active for as long as there is pressure on the switch. The switch is only engaged while it is being held down, as opposed to a typical “on/off” switch, which latches in its set position. A bell press switch is convenient in changing the ambience of a room by simply raising or lowering the brightness of the lights when being used with a tactile dimmer unit. Bell press switches are useful in-home entertainment areas, bedrooms and bathrooms while important in office boardrooms for dimming lights during presentations. To create a dimmable circuit in the VetI 3 range, a tactile dimmer, V404U5 or equivalent, is required behind the corresponding bell press switch.





## Intermediate Switches / Multiple Switching

Intermediate switches have the ability of controlling the same lights from three or more separate locations. Intermediate switches are convenient for use in multiple locations such as large stairways, extensive corridors, or extremely large rooms where lights can be turned ON or OFF from all locations with an intermediate switch. To create intermediate switching in the VetI 3 range, a combination of bell press switches and dimmers / automation switches are required. One dimmer or automation switching module will be required behind one of the bell press switches and the balance of the bell press switches are interconnected via strapper wires (link from one switch to the other). For more information on creating intermediate switching, please contact a VetI Sales representative to discuss further.



## Accessories

### Tactile Dimmer

#### SPECIFICATIONS

The 500W Tactile Dimmer is an electronic dimmer which can be used on most types of dimmable LEDs and all incandescent lamps. Dimming is controlled by holding down the button until the desired light level is set and then releasing the switch face to stop dimming. If the dimmer is released and then held down again the dimming will change direction and increase or decrease depending on the previous dimming action. The dimmer has a memory so once a light level has been set every time one turns on the lights the light intensity will return to its previously set position. The dimmer uses trailing edge technology. Due to different technology used in different brands of LEDs, Major Tech can only guarantee compatibility with all of Major Tech's dimmable LEDs and any brand of incandescent lamps.

PART NUMBER	DESCRIPTION
V404U5	500W Universal Tactile Dimmer






## Dedicated Sockets

PART NUMBER	DESCRIPTION
3VR21	Dedicated Socket Outlet
3VR22	Dedicated Socket Outlet

Wall box Size 100x 100mm



3VR21



3VR22

## Wall Boxes



PART NUMBER	DESCRIPTION
V514	100x50mm Wall Box
V515	100x100mm Wall Box

### SPECIFICATIONS

Major Tech's robust and durable wall boxes are made from flame retardant material and comply with official SANS regulated wall box sizes. Boxes do not become deformed during the installation process.

Reinforced mounting ears are manufactured with strong reusable screw holes. The unique design of the mounting ears allows for multiple installations and without excessive force, prevents breaking or deformation.

100x100mm wall boxes come standard with 1x20mm and 1x25mm knock outs on all four sides and the back. 100x50mm wall boxes come standard with 1x20mm and 1x25mm knock outs on the sides and back. The top and bottom of this wall box comes with 1 knock out of 20mm or 1 knock out of 25mm which can be reversed to allow for either connection requirement.



# VETi<sup>3</sup>

Don't be ordinary ... *Switch on Style!*

## CUSTOMISATION & VERSATILITY **MADE EASY**



■ Choose between four colours for both the cover plates and switches

■ Full customisation is possible. Contact Major Tech to find out how to create your own colour combinations.



# VETI 3

Don't be ordinary ... *Switch on Style!*



## NEW VETI 3 RANGE

- Ultra Slim
- Perfectly Flat in the Off Position
- Colours to Help Switch on Style!
- Robust & Durable Monoblock Design

☎ 086 162 5678  
✉ [sales@veti.co.za](mailto:sales@veti.co.za)  
🌐 [www.veti.co.za](http://www.veti.co.za)

